


# PVC Schedule 80 Fittings, Unions, Flanges, Tank Adapters & Expansion Joints



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------


## Flange Insulating Joints - Class 150 Bolt Pattern PP Flange Spacer with PVC Bolt Isolators



Size = Nominal Flange Diameter x Thickness (in.)  
For Dielectric Insulation Between Dissimilar Metal Flanges  
300 psi Maximum Internal Pressure Rating @ 73°F (23°C)

IJ-030-010P	3X1	1	0	016	411.40
IJ-040-010P	4X1	1	0	016	459.66
IJ-060-010P	6X1	1	0	016	546.36
IJ-080-010P	8X1	1	0	016	634.09
IJ-100-010P	10X1	1	0	016	1288.78
IJ-120-010P	12X1	1	0	016	1395.87
IJ-140-010P	14X1	1	0	016	1808.74
IJ-160-010P	16X1	1	0	016	2298.38
IJ-180-010P	18X1	1	0	016	3076.59
IJ-200-010P	20X1	1	0	016	3971.83
IJ-240-010P	24X1	1	0	016	5516.15


## Flange Insulating Joints - Class 300 Bolt Pattern PP Flange Spacer with PVC Bolt Isolators



Size = Nominal Flange Diameter x Thickness (in.)  
For Dielectric Insulation Between Dissimilar Metal Flanges  
300 psi Maximum Internal Pressure Rating @ 73°F (23°C)

IJ300-030-010P	3X1	1	0	016	606.06
IJ300-040-010P	4X1	1	0	016	674.06
IJ300-060-010P	6X1	1	0	016	1032.47
IJ300-080-010P	8X1	1	0	016	1288.04
IJ300-100-010P	10X1	1	0	016	2136.81
IJ300-120-010P	12X1	1	0	016	2808.00
IJ300-140-010P	14X1	1	0	016	3537.38
IJ300-160-010P	16X1	1	0	016	3772.00
IJ300-180-010P	18X1	1	0	016	4714.10
IJ300-200-010P	20X1	1	0	016	5461.68
IJ300-240-010P	24X1	1	0	016	6705.98

## PVC Self Aligning Tank Adapter with Neoprene Gasket Fipt



75 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8172SA-010	1	5	0	100	132.03
------------	---	---	---	-----	--------


Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

## PVC Self Aligning Tank Adapter with Neoprene Gasket (continued)

Fipt

8172SA-020	2	4	0	100	205.31
8172SA-030	3	2	0	100	310.65


## PVC Self Aligning Tank Adapter with EPDM Gasket Fipt



75 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8172ESA-010	1	5	0	100	138.94
8172ESA-020	2	4	0	100	210.84
8172ESA-030	3	2	0	100	327.10


## PVC Self Aligning Tank Adapter with Viton® Gasket Fipt



75 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8172VSA-010	1	5	0	100	360.01
8172VSA-020	2	4	0	100	511.11
8172VSA-030	3	2	0	100	803.09

## PVC New Style Standard Tank Adapters with Neoprene Gaskets Soc



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8170-002	1/4	25	150	100	30.66
8170-003	3/8	25	150	100	30.66
8170-005	1/2	25	0	100	30.66
8170-007	3/4	25	0	100	34.96
8170-010	1	25	0	100	38.84
8170-012	1-1/4	20	0	100	46.79
8170-015	1-1/2	20	0	100	51.34
8170-020	2	15	0	100	76.10
8170-025	2-1/2	4	0	100	117.60
8170-030	3	4	0	100	139.99
8170-040	4	2	0	100	275.77
8170-060	6	1	0	100	535.28
8170-080	8	1	0	100	1187.91

Authorized Distributor:


**Aetna Plastics Corp. 1702 St. Clair Ave. Cleveland, Ohio 44114 • Tel: 800-634-3074  
216-781-4421 • Fax: 216-781-4474 • sales@aetnaplastics.com • www.aetnaplastics.com**



# PVC Schedule 80 Fittings, Unions, Flanges, Tank Adapters & Expansion Joints

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------


### PVC New Style Standard Tank Adapters with EPDM Gaskets Soc



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8170E-002	1/4	25	150	100	31.60
8170E-003	3/8	25	150	100	31.60
8170E-005	1/2	25	0	100	31.60
8170E-007	3/4	25	0	100	35.65
8170E-010	1	25	0	100	42.99
8170E-012	1-1/4	20	0	100	51.10
8170E-015	1-1/2	20	0	100	55.66
8170E-020	2	15	0	100	81.90
8170E-025	2-1/2	4	0	100	136.51
8170E-030	3	4	0	100	145.22
8170E-040	4	2	0	100	282.73
8170E-060	6	1	0	100	554.50
8170E-080	8	1	0	100	1231.95


### PVC New Style Standard Tank Adapters with Viton® Gaskets Soc



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8170V-002	1/4	25	150	100	52.10
8170V-003	3/8	25	150	100	52.10
8170V-005	1/2	25	0	100	52.10
8170V-007	3/4	25	0	100	57.12
8170V-010	1	25	0	100	68.40
8170V-012	1-1/4	20	0	100	72.13
8170V-015	1-1/2	20	0	100	79.44
8170V-020	2	15	0	100	130.34
8170V-025	2-1/2	4	0	100	196.47
8170V-030	3	4	0	100	233.89
8170V-040	4	2	0	100	585.10
8170V-060	6	1	0	100	1052.37
8170V-080	8	1	0	100	1959.00

### PVC New Style Standard Tank Adapters with Neoprene Gasket Soc x Fipt



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)


8171-002	1/4	25	150	100	30.66
8171-003	3/8	25	200	100	30.66
8171-005	1/2	25	0	100	30.66
8171-007	3/4	25	0	100	34.96
8171-010	1	25	0	100	38.84

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

### PVC New Style Standard Tank Adapters with Neoprene Gasket (continued) Soc x Fipt

8171-012	1-1/4	20	0	100	46.79
8171-015	1-1/2	20	0	100	51.34
8171-020	2	15	0	100	76.10
8171-025	2-1/2	4	0	100	117.60
8171-030	3	4	0	100	139.99
8171-040	4	2	0	100	275.77
8171-060	6	1	0	100	535.28


### PVC New Style Standard Tank Adapters with EPDM Gaskets Soc x Fipt



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8171E-002	1/4	25	150	100	31.60
8171E-003	3/8	25	200	100	31.60
8171E-005	1/2	25	0	100	31.60
8171E-007	3/4	25	0	100	35.65
8171E-010	1	25	0	100	42.99
8171E-012	1-1/4	20	0	100	51.10
8171E-015	1-1/2	20	0	100	55.66
8171E-020	2	15	0	100	81.90
8171E-025	2-1/2	4	0	100	136.51
8171E-030	3	4	0	100	145.22
8171E-040	4	2	0	100	282.73
8171E-060	6	1	0	100	554.50

### PVC New Style Standard Tank Adapters with Viton® Gaskets Soc x Fipt



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)


8171V-002	1/4	25	150	100	52.10
8171V-003	3/8	25	200	100	52.10
8171V-005	1/2	25	0	100	52.10
8171V-007	3/4	25	0	100	57.12
8171V-010	1	25	0	100	68.40
8171V-012	1-1/4	20	0	100	72.13
8171V-015	1-1/2	20	0	100	79.44
8171V-020	2	15	0	100	130.34
8171V-025	2-1/2	4	0	100	196.47
8171V-030	3	4	0	100	233.89
8171V-040	4	2	0	100	585.10
8171V-060	6	1	0	100	1052.37

# PVC Schedule 80 Fittings, Unions, Flanges, Tank Adapters & Expansion Joints



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**PVC New Style Special Reinforced (SR) Threaded Tank Adapters with Neoprene Gaskets**




**Soc x SR Fipt - Stainless Steel Collar**

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8171-002SR	1/4	25	150	100	31.77
8171-003SR	3/8	25	200	100	31.77
8171-005SR	1/2	25	0	100	31.77
8171-007SR	3/4	25	0	100	36.81
8171-010SR	1	25	0	100	41.45
8171-012SR	1-1/4	20	0	100	50.96
8171-015SR	1-1/2	20	0	100	58.49
8171-020SR	2	15	0	100	83.82
8171-025SR	2-1/2	4	0	100	134.96
8171-030SR	3	4	0	100	160.65
8171-040SR	4	2	0	100	297.15
8171-060SR	6	1	0	100	556.13

**PVC New Style Special Reinforced (SR) Threaded Tank Adapters with EPDM Gaskets**




**Soc x SR Fipt - Stainless Steel Collar**

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8171E-002SR	1/4	25	150	100	32.89
8171E-003SR	3/8	25	200	100	32.89
8171E-005SR	1/2	25	0	100	32.89
8171E-007SR	3/4	25	0	100	37.51
8171E-010SR	1	25	0	100	45.60
8171E-012SR	1-1/4	20	0	100	55.24
8171E-015SR	1-1/2	20	0	100	62.78
8171E-020SR	2	15	0	100	89.62
8171E-025SR	2-1/2	4	0	100	139.34
8171E-030SR	3	4	0	100	165.88
8171E-040SR	4	2	0	100	304.14
8171E-060SR	6	1	0	100	575.26

**PVC New Style Special Reinforced (SR) Threaded Tank Adapters with Viton® Gaskets**



**Soc x SR Fipt - Stainless Steel Collar**

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8171V-002SR	1/4	25	150	100	53.39
8171V-003SR	3/8	25	200	100	53.39
8171V-005SR	1/2	25	0	100	53.39
8171V-007SR	3/4	25	0	100	58.59
8171V-010SR	1	25	0	100	72.22
8171V-012SR	1-1/4	20	0	100	80.87
8171V-015SR	1-1/2	20	0	100	91.16


Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

**PVC New Style Special Reinforced (SR) Threaded Tank Adapters with Viton® Gaskets (continued)**

**Soc x SR Fipt - Stainless Steel Collar**

8171V-020SR	2	15	0	100	139.60
8171V-025SR	2-1/2	4	0	100	212.53
8171V-030SR	3	4	0	100	253.00
8171V-040SR	4	2	0	100	607.87
8171V-060SR	6	2	0	100	1077.33


**PVC New Style Standard Tank Adapters with Neoprene Gaskets**



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8172-002	1/4	25	150	100	41.18
8172-003	3/8	25	200	100	41.18
8172-005	1/2	25	0	100	41.18
8172-007	3/4	25	0	100	45.17
8172-010	1	25	0	100	49.40
8172-012	1-1/4	20	0	100	65.86
8172-015	1-1/2	20	0	100	71.79
8172-020	2	15	0	100	94.54
8172-025	2-1/2	4	0	100	138.37
8172-030	3	4	0	100	164.70
8172-040	4	2	0	100	308.63
8172-060	6	1	0	100	617.64

**PVC New Style Standard Tank Adapters with EPDM Gaskets**



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8172E-002	1/4	25	150	100	42.40
8172E-003	3/8	25	200	100	42.40
8172E-005	1/2	25	0	100	42.40
8172E-007	3/4	25	0	100	46.05
8172E-010	1	25	0	100	54.71
8172E-012	1-1/4	20	0	100	71.91
8172E-015	1-1/2	20	0	100	77.78
8172E-020	2	15	0	100	101.74
8172E-025	2-1/2	4	0	100	143.52
8172E-030	3	4	0	100	170.88
8172E-040	4	2	0	100	316.50
8172E-060	6	1	0	100	639.83

Authorized Distributor:


**Aetna Plastics Corp. 1702 St. Clair Ave. Cleveland, Ohio 44114 • Tel: 800-634-3074  
216-781-4421 • Fax: 216-781-4474 • sales@aetnaplastics.com • www.aetnaplastics.com**



# PVC Schedule 80 Fittings, Unions, Flanges, Tank Adapters & Expansion Joints

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------


### PVC New Style Standard Tank Adapters with Viton® Gaskets Fipt



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8172V-002	1/4	25	150	100	63.71
8172V-003	3/8	25	200	100	63.71
8172V-005	1/2	25	0	100	63.71
8172V-007	3/4	25	0	100	67.91
8172V-010	1	25	0	100	77.56
8172V-012	1-1/4	20	0	100	88.01
8172V-015	1-1/2	20	0	100	100.46
8172V-020	2	15	0	100	148.85
8172V-025	2-1/2	4	0	100	212.60
8172V-030	3	4	0	100	253.16
8172V-040	4	2	0	100	617.00
8172V-060	6	1	0	100	1180.51

### PVC New Style Special Reinforced (SR) Threaded Tank Adapters with Neoprene Gaskets




Fipt x SR Fipt - Stainless Steel Collar

150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8172-002SR	1/4	25	150	100	42.48
8172-003SR	3/8	25	200	100	42.48
8172-005SR	1/2	25	0	100	42.48
8172-007SR	3/4	25	0	100	47.03
8172-010SR	1	25	0	100	52.01
8172-012SR	1-1/4	20	0	100	70.04
8172-015SR	1-1/2	20	0	100	78.93
8172-020SR	2	15	0	100	102.27
8172-025SR	2-1/2	4	0	100	155.71
8172-030SR	3	4	0	100	185.38
8172-040SR	4	2	0	100	330.02
8172-060SR	6	1	0	100	638.39

### PVC New Style Special Reinforced (SR) Threaded Tank Adapters with EPDM Gaskets Fipt x SR Fipt - Stainless Steel Collar



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8172E-002SR	1/4	25	150	100	43.70
8172E-003SR	3/8	25	200	100	43.70
8172E-005SR	1/2	25	0	100	43.70
8172E-007SR	3/4	25	0	100	47.91
8172E-010SR	1	25	0	100	57.32
8172E-012SR	1-1/4	20	0	100	76.09
8172E-015SR	1-1/2	20	0	100	84.89


Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

### PVC New Style Special Reinforced (SR) Threaded Tank Adapters with EPDM Gaskets (continued)

Fipt x SR Fipt - Stainless Steel Collar

8172E-020SR	2	15	0	100	109.48
8172E-025SR	2-1/2	4	0	100	160.89
8172E-030SR	3	4	0	100	191.52
8172E-040SR	4	2	0	100	337.89
8172E-060SR	6	2	0	100	660.52


### PVC New Style Special Reinforced (SR) Threaded Tank Adapters with Viton® Gaskets Fipt x SR Fipt - Stainless Steel Collar



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

8172V-002SR	1/4	25	150	100	65.00
8172V-003SR	3/8	25	200	100	65.00
8172V-005SR	1/2	25	0	100	65.00
8172V-007SR	3/4	25	0	100	69.79
8172V-010SR	1	25	0	100	80.17
8172V-012SR	1-1/4	20	0	100	92.17
8172V-015SR	1-1/2	20	0	100	107.59
8172V-020SR	2	15	0	100	156.59
8172V-025SR	2-1/2	4	0	100	229.94
8172V-030SR	3	4	0	100	273.81
8172V-040SR	4	2	0	100	638.39
8172V-060SR	6	2	0	100	1205.46


### Tank Adapter with Neoprene Gasket (Old Style) Soc x Fipt



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

871-005	1/2	25	0	100	30.66
871-007	3/4	25	0	100	34.96
871-010	1	25	0	100	38.84
871-012	1-1/4	20	0	100	46.79
871-015	1-1/2	20	0	100	51.34
871-020	2	15	0	100	76.10
871-030	3	4	0	100	139.99
871-040	4	2	0	100	275.77

### Tank Adapter with Neoprene Gasket (Old Style) Fipt



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

872-005	1/2	25	0	100	41.18
872-007	3/4	25	0	100	45.17

# PVC Schedule 80 Fittings, Unions, Flanges, Tank Adapters & Expansion Joints



Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

## Tank Adapter with Neoprene Gasket (Old Style)


(continued)

Fipt

872-010	1	25	0	100	49.40
872-012	1-1/4	20	0	100	65.86
872-015	1-1/2	20	0	100	71.79
872-020	2	15	0	100	94.54
872-030	3	4	0	100	164.70
872-040	4	2	0	100	308.63

## Tank Adapter with EPDM Gasket (Old Style)

Soc x Fipt




150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

871E-005	1/2	25	0	100	31.60
871E-007	3/4	25	0	100	35.65
871E-010	1	25	0	100	42.99
871E-012	1-1/4	20	0	100	51.10
871E-015	1-1/2	20	0	100	55.66
871E-020	2	15	0	100	81.90
871E-030	3	4	0	100	145.22
871E-040	4	2	0	100	282.73

## Tank Adapter with EPDM Gasket (Old Style)

Fipt



150 psi Maximum Internal Pressure Rating @ 73°F (23°C)

872E-005	1/2	25	0	100	42.40
872E-007	3/4	25	0	100	46.05
872E-010	1	25	0	100	54.71
872E-012	1-1/4	20	0	100	71.91
872E-015	1-1/2	20	0	100	77.78
872E-020	2	15	0	100	101.74
872E-030	3	4	0	100	170.88
872E-040	4	2	0	100	316.50

## Neoprene Tank Adapter Gasket Only (New Style)



3N-002	1/4	100	0	901	2.57
3N-003	3/8	50	0	901	2.57
3N-005	1/2	10	0	901	2.57
3N-007	3/4	10	0	901	2.76
3N-010	1	10	0	901	2.94
3N-012	1-1/4	10	0	901	4.06

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

## Neoprene Tank Adapter Gasket Only (New Style) (continued)

3N-015	1-1/2	10	0	901	4.76
3N-020	2	10	0	901	6.23
3N-025	2-1/2	10	0	901	6.50
3N-030	3	10	0	901	6.78
3N-040	4	10	0	901	18.76
2N-060	6	10	0	901	23.44
3N-080	8	10	0	901	107.48

## EPDM Tank Adapter Gasket Only (New Style)



3E-002	1/4	10	0	901	2.99
3E-003	3/8	10	0	901	2.99
3E-005	1/2	10	0	901	2.99
3E-007	3/4	10	0	901	3.09
3E-010	1	10	0	901	5.36
3E-012	1-1/4	10	0	901	7.85
3E-015	1-1/2	10	0	901	8.06
3E-020	2	10	0	901	9.22
3E-025	2-1/2	10	0	901	13.07
3E-030	3	10	0	901	14.05
3E-040	4	10	0	901	21.17
2E-060	6	10	0	901	38.21
3E-080	8	10	0	901	138.69

## Viton® Tank Adapter Gasket Only (New Style)



3V-002	1/4	10	0	901	10.95
3V-003	3/8	10	0	901	12.91
3V-005	1/2	10	0	901	19.27
3V-007	3/4	10	0	901	23.86
3V-010	1	10	0	901	32.62
3V-012	1-1/4	10	0	901	51.88
3V-015	1-1/2	10	0	901	56.04
3V-020	2	10	0	901	89.76
3V-025	2-1/2	10	0	901	99.16
3V-030	3	10	0	901	103.32
3V-040	4	10	0	901	233.79
2V-060	6	10	0	901	585.23
3V-080	8	10	0	901	981.52



# PVC Schedule 80 Fittings, Unions, Flanges, Tank Adapters & Expansion Joints

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

### Neoprene Tank Adapter Gasket Only (Old Style)




2N-005	1/2	10	0	901	2.57
2N-007	3/4	10	0	901	2.76
2N-010	1	10	0	901	2.94
2N-015	1-1/4 OR 1-1/2	10	0	901	4.76
2N-020	2	10	0	901	6.23
2N-030	3	10	0	901	6.78
2N-040	4	10	0	901	18.76

### EPDM Tank Adapter Gasket Only (Old Style)




2E-005	1/2	10	0	901	2.99
2E-007	3/4	10	0	901	3.09
2E-010	1	10	0	901	5.36
2E-015	1-1/4 OR 1-1/2	10	0	901	8.06
2E-020	2	10	0	901	9.22
2E-030	3	10	0	901	14.05
2E-040	4	10	0	901	21.17

### Wrench Sets (New Style) Body Wrench & Nut Wrench



TAW-002	1/4	1	25	299	19.55
TAW-003	3/8	1	25	299	19.55
TAW-005	1/2	1	25	299	19.55
TAW-007	3/4	1	25	299	19.93
TAW-010	1	1	25	299	20.73
TAW-012	1-1/4	1	20	299	23.38
TAW-015	1-1/2	1	20	299	25.36
TAW-020	2	1	10	299	28.89
TAW-025	2-1/2	1	10	299	31.96
TAW-030	3	1	10	299	35.22
TAW-040	4	1	10	299	37.74

### Individual Body Wrench (New Style)



TAW1-002	1/4	500	0	299	10.97
TAW1-003	3/8	400	0	299	10.97

Part Number	Size	Std Pk	Mstr Ctn	Disc Code	Price Each
-------------	------	--------	----------	-----------	------------

### Individual Body Wrench (New Style) (continued)

TAW1-005	1/2	250	0	299	10.97
TAW1-007	3/4	220	0	299	11.18
TAW1-010	1	200	0	299	11.64
TAW1-012	1-1/4	300	0	299	13.18
TAW1-015	1-1/2	150	0	299	14.19
TAW1-020	2	80	0	299	15.41
TAW1-025	2-1/2	80	0	299	16.10
TAW1-030	3	74	0	299	20.19
TAW1-040	4	35	0	299	20.77

### Individual Nut Wrench (New Style)



TAW2-002	1/4	300	0	299	10.97
TAW2-003	3/8	250	0	299	10.97
TAW2-005	1/2	200	0	299	10.97
TAW2-007	3/4	160	0	299	11.18
TAW2-010	1	110	0	299	11.64
TAW2-012	1-1/4	200	0	299	13.18
TAW2-015	1-1/2	120	0	299	14.19
TAW2-020	2	100	0	299	15.41
TAW2-025	2-1/2	50	0	299	16.10
TAW2-030	3	40	0	299	20.19
TAW2-040	4	35	0	299	20.77

### Fabricated Expansion Joints 6" Travel with EPDM O-rings



1/2" - 2" 235 psi @ 73°F (23°C)  
2-1/2" - 12" 150 psi @ 73°F (23°C)

826-005X6	1/2	10	0	085	279.54
826-007X6	3/4	6	0	085	300.51
826-010X6	1	5	0	085	303.89
826-012X6	1-1/4	4	0	085	434.50
826-015X6	1-1/2	4	0	085	374.55
826-020X6	2	2	0	085	418.98
826-025X6	2-1/2	1	0	085	740.39
826-030X6	3	1	0	085	562.97
826-040X6	4	1	0	085	532.38
826-060X6	6	1	1	085	877.10
826-080X6	8	1	0	085	1207.52
826-100X6	10	1	0	085	1417.98
826-120X6	12	1	0	085	2512.49

Authorized Distributor:

**Aetna Plastics Corp. 1702 St. Clair Ave. Cleveland, Ohio 44114 • Tel: 800-634-3074  
216-781-4421 • Fax: 216-781-4474 • sales@aetnaplastics.com • www.aetnaplastics.com**